Animal Genetics, 2001, **32**, 394–399

Author Index

Achmann, R. Huber, T. Wallner, B. Dovc, P. Müller, M & Brem, G. Base substitutions in the sequences flanking microsatellite markers *HMS3* and *ASB2* interfere with parentage testing in the Lipizzan horse, 52
Acland, G *see* Sidjanin, D J
Aguirre, G D *see* Sidjanin, D J
Ajmone-Marsan, P, Negrini, R, Crepaldi, P, Milanesi, E, Gorni, C, Valentini, A & Cicogna, M. Assessing genetic diversity in Italian goat populations using AFLP® markers, 281
Akagi, S. *see* Taniguchi, Y
Alberti, A *see* Baratti, M
Ambady, S, Kappes, S M, Park, C, Ma, R Z, Beever, J E, Lewin, H A, Smith, T P L, Beattie, C W, Basrur, P K & Ponce De León, F A. Development and mapping of microsatellites from a microdissected BTA 11-specific DNA library, 152
Ando, A, Kawata, H, Murakami, T, Shigenari, A, Shiina, T, Sada, M, Tsuji, T, Toriu, A, Nakanishi, Y, Mitsuhashi, T, Sekikawa, K & Inoko, H. cDNA cloning and genetic polymorphism of the swine major histocompatibility complex (SLA) class II DMA gene, 73
Angles, J M *see* Kennedy, L J
Aoki, T *see* Katagiri, T
Apte, S & Gardner, J P A. Three polymorphic mitochondrial DNA markers for *Perna canaliculus*, 47
Ariza, F, Harrison, B & Drinkwater, R D. The assignment by linkage mapping of four genes from human chromosome 22 to bovine chromosome 5 and 17, 371
Armstrong, G *see* Gregg, R E
Asakawa, S *see* Katagiri, T
Ashwell, C M *see* Ashwell, M S
Ashwell, M S, Ashwell, C M, Garrett, W M & Bennett, G L. Isolation, characterization and mapping of the bovine signal peptidase subunit 18 gene, 232
Avtalion, R R *see* Palti, Y
Awata, T *see* Shimanuki, S

Bailey, E *see* Terry, R R
Baratti, M, Alberti, A, Groenen, M, Veenendaal, T & Fulgheri, F D. Polymorphic microsatellites developed by cross-species amplifications in common pheasant breeds, 222
Barendse, W *see* Casas, E
see also Sonstegard, T S
see also Wang, Y H
Barnes, A *see* Kennedy, L J
Basrur, P K *see* Ambady, S
Beattie, C W *see* Ambady, S
Beever, J E *see* Ambady, S
see also Bidwell, C A
Bendixen, C *see* Sonstegard, T S
Bennett, G L *see* Ashwell, M S
see also Casas, E
see also Sonstegard, T S
Berghmans, S *see* Bidwell, C A
Bernoco, D *see* Terry, R R
Berryere, T G *see* Christison, K M
see also Schmutz, S M
Berthier, D *see* Maillard, J-C
Bidwell, C A, Shay, T L, Georges, M, Beever, J E, Berghmans, S & Cockett, N E. Differential expression of the *GTL2* gene within the callipyge region of ovine chromosome 18, 248
den Bieman, M G *see* Korstanje, R
Biet, C *see* Habermann, F A
Binns, M *see* Mashima, S
see also Debenham, S
see also Haworth, K
Binns, M M *see* Thomas, R
see also Lindgren, G
Bjornstad, G & Roed, K H. Breed demarcation and potential for breed allocation of horses assessed by microsatellite markers, 59
Bolla, P *see* Caroli, A
Bosma, A A *see* Fontanesi, L
Bottema, C D K *see* Casas, E
see also Casas, E
Bouzat, J L *see* Giovambattista, G
Bowling, A T *see* Locke, M M
Bradley, D G *see* Cunningham, E P
Breen, M *see* Thomas, R
see also Debenham, S
see also Haworth, K
see also Lindgren, G
Brem, G *see* Achmann, R
Brenig, B *see* Von Teichman, A
Brockmann, G A *see* Sonstegard, T S
Brunner, R *see* Wambugu, J
Buchanan, F C *see* Christison, K M
see also Schimpf, R J
see also Schmidtz, B H
see also Thue, T D
Buchholz, W G, Miller, S J & Spearman, W J. Isolation and characterization of chum salmon microsatellite loci and use across species, 162
Budelli, E *see* Caroli, A
Bumstead, N *see* Clendenning, M
Burnside, J *see* Liu, H-C
see also Suchyta, S P
Burt, D W *see* Ge, S F
Burzlaff, J D *see* Mcshane, R D
Byrne, K *see* Moore, S S

Campbell, E M G, Fahrenkrug, S C, Vallet, J L, Smith, T P L & Rohrer, G A. An updated linkage and comparative map of porcine chromosome 18, 375
Cao, D, Kocabas, A, Ju, Z, Karsi, A, Li, P, Patterson, A & Liu, Z. Transcriptome of channel catfish (*Ictalurus punctatus*): initial analysis of genes and expression profiles of the head kidney, 169
Caroli, A, Jann, O, Budelli, E, Bolla, P, Jäger, S & Erhardt, G. Genetic polymorphism of goat κ-casein (*CSN3*) in different breeds and characterization at DNA level, 226
Carré, W, Diot, C, Fillon, V, Crooijmans, R P M A, Lagarrigue, S, Morrisson, M, Vignal, A, Groenen, M A M & Douaire, M. Development of 112 unique expressed sequence tags from chicken liver using an arbitrarily primed reverse transcriptase–polymerase chain reaction and single strand conformation gel purification method, 289
Carter, S D *see* Kennedy, L J
Casas, E, Bennett, G L, Bottema, C D K, Crawford, A, Kalm, E, Kappes, S M, Kister, A, Lewin, H A, Lien, S, Morris, C A, Olsaker, I, Pitchford, W S, Schmutz, S M, Thomsen, H & Xu, N. Comprehensive linkage map of bovine chromosome 11, 92
Casas, E, Sonstegard, T S, Barendse, W, Bennett, G L, Bottema, C D K, Crawford, A, Grosz, M D, Kalm, E, Kappes, S M, Kister, A, Li, Y, Lien, S, Morris, C A, Olsaker, I, Pitchford, W S, Schmutz, S M, Thomsen, H & Xu, N. Comprehensive linkage map of bovine chromosome 27, 95
Čepica, S, Kubíčková, S, Musilová, P & Rubeš, J. Assignment of the *SERPINA7* gene to porcine chromosome band Xq22 by FISH, 120
Čepica, S, Rohrer, G A, Knoll, A, Masopust, M & Málek, O. Linkage mapping of four genes (*OTC*, *SERPINA7*, *SLC25A5* and *FMR1*) on porcine chromosome X, 106
Čepica, S. *see* Zambonelli, P
Chantal, I *see* Maillard, J-C
Chardon, P *see* Rattink, A P
Cheng, H H *see* Knorr, C
see also Liu, H-C
see also Suchyta, S P
Christison, K M, Schmutz, S M, Berryere, T G & Buchanan, F C. Linkage mapping of *MMP1* to cattle chromosome 15, 316

© 2001 International Society for Animal Genetics

Animal Genetics, 2001, **32**, 394–399

Author Index

Achmann, R. Huber, T. Wallner, B. Dovc, P. Müller, M & Brem, G. Base substitutions in the sequences flanking microsatellite markers *HMS3* and *ASB2* interfere with parentage testing in the Lipizzan horse, 52
Acland, G *see* Sidjanin, D J
Aguirre, G D *see* Sidjanin, D J
Ajmone-Marsan, P, Negrini, R, Crepaldi, P, Milanesi, E, Gorni, C, Valentini, A & Cicogna, M. Assessing genetic diversity in Italian goat populations using AFLP® markers, 281
Akagi, S. *see* Taniguchi, Y
Alberti, A *see* Baratti, M
Ambady, S, Kappes, S M, Park, C, Ma, R Z, Beever, J E, Lewin, H A, Smith, T P L, Beattie, C W, Basrur, P K & Ponce De León, F A. Development and mapping of microsatellites from a microdissected BTA 11-specific DNA library, 152
Ando, A, Kawata, H, Murakami, T, Shigenari, A, Shiina, T, Sada, M, Tsuji, T, Toriu, A, Nakanishi, Y, Mitsuhashi, T, Sekikawa, K & Inoko, H. cDNA cloning and genetic polymorphism of the swine major histocompatibility complex (SLA) class II DMA gene, 73
Angles, J M *see* Kennedy, L J
Aoki, T *see* Katagiri, T
Apte, S & Gardner, J P A. Three polymorphic mitochondrial DNA markers for *Perna canaliculus*, 47
Ariza, F, Harrison, B & Drinkwater, R D. The assignment by linkage mapping of four genes from human chromosome 22 to bovine chromosome 5 and 17, 371
Armstrong, G *see* Gregg, R E
Asakawa, S *see* Katagiri, T
Ashwell, C M *see* Ashwell, M S
Ashwell, M S, Ashwell, C M, Garrett, W M & Bennett, G L. Isolation, characterization and mapping of the bovine signal peptidase subunit 18 gene, 232
Avtalion, R R *see* Palti, Y
Awata, T *see* Shimanuki, S

Bailey, E *see* Terry, R R
Baratti, M, Alberti, A, Groenen, M, Veenendaal, T & Fulgheri, F D. Polymorphic microsatellites developed by cross-species amplifications in common pheasant breeds, 222
Barendse, W *see* Casas, E
see also Sonstegard, T S
see also Wang, Y H
Barnes, A *see* Kennedy, L J
Basrur, P K *see* Ambady, S
Beattie, C W *see* Ambady, S
Beever, J E *see* Ambady, S
see also Bidwell, C A
Bendixen, C *see* Sonstegard, T S
Bennett, G L *see* Ashwell, M S
see also Casas, E
see also Sonstegard, T S
Berghmans, S *see* Bidwell, C A
Bernoco, D *see* Terry, R R
Berryere, T G *see* Christison, K M
see also Schmutz, S M
Berthier, D *see* Maillard, J-C
Bidwell, C A, Shay, T L, Georges, M, Beever, J E, Berghmans, S & Cockett, N E. Differential expression of the *GTL2* gene within the callipyge region of ovine chromosome 18, 248
den Bieman, M G *see* Korstanje, R
Biet, C *see* Habermann, F A
Binns, M *see* Mashima, S
see also Debenham, S
see also Haworth, K
Binns, M M *see* Thomas, R
see also Lindgren, G
Bjornstad, G & Roed, K H. Breed demarcation and potential for breed allocation of horses assessed by microsatellite markers, 59
Bolla, P *see* Caroli, A
Bosma, A A *see* Fontanesi, L
Bottema, C D K *see* Casas, E
see also Casas, E
Bouzat, J L *see* Giovambattista, G
Bowling, A T *see* Locke, M M
Bradley, D G *see* Cunningham, E P
Breen, M *see* Thomas, R
see also Debenham, S
see also Haworth, K
see also Lindgren, G
Brem, G *see* Achmann, R
Brenig, B *see* Von Teichman, A
Brockmann, G A *see* Sonstegard, T S
Brunner, R *see* Wambugu, J
Buchanan, F C *see* Christison, K M
see also Schimpf, R J
see also Schmidtz, B H
see also Thue, T D
Buchholz, W G, Miller, S J & Spearman, W J. Isolation and characterization of chum salmon microsatellite loci and use across species, 162
Budelli, E *see* Caroli, A
Bumstead, N *see* Clendenning, M
Burnside, J *see* Liu, H-C
see also Suchyta, S P
Burt, D W *see* Ge, S F
Burzlaff, J D *see* Mcshane, R D
Byrne, K *see* Moore, S S

Campbell, E M G, Fahrenkrug, S C, Vallet, J L, Smith, T P L & Rohrer, G A. An updated linkage and comparative map of porcine chromosome 18, 375
Cao, D, Kocabas, A, Ju, Z, Karsi, A, Li, P, Patterson, A & Liu, Z. Transcriptome of channel catfish (*Ictalurus punctatus*): initial analysis of genes and expression profiles of the head kidney, 169
Caroli, A, Jann, O, Budelli, E, Bolla, P, Jäger, S & Erhardt, G. Genetic polymorphism of goat κ-casein (*CSN3*) in different breeds and characterization at DNA level, 226
Carré, W, Diot, C, Fillon, V, Crooijmans, R P M A, Lagarrigue, S, Morrisson, M, Vignal, A, Groenen, M A M & Douaire, M. Development of 112 unique expressed sequence tags from chicken liver using an arbitrarily primed reverse transcriptase–polymerase chain reaction and single strand conformation gel purification method, 289
Carter, S D *see* Kennedy, L J
Casas, E, Bennett, G L, Bottema, C D K, Crawford, A, Kalm, E, Kappes, S M, Kister, A, Lewin, H A, Lien, S, Morris, C A, Olsaker, I, Pitchford, W S, Schmutz, S M, Thomsen, H & Xu, N. Comprehensive linkage map of bovine chromosome 11, 92
Casas, E, Sonstegard, T S, Barendse, W, Bennett, G L, Bottema, C D K, Crawford, A, Grosz, M D, Kalm, E, Kappes, S M, Kister, A, Li, Y, Lien, S, Morris, C A, Olsaker, I, Pitchford, W S, Schmutz, S M, Thomsen, H & Xu, N. Comprehensive linkage map of bovine chromosome 27, 95
Čepica, S, Kubíčková, S, Musilová, P & Rubeš, J. Assignment of the *SERPINA7* gene to porcine chromosome band Xq22 by FISH, 120
Čepica, S, Rohrer, G A, Knoll, A, Masopust, M & Málek, O. Linkage mapping of four genes (*OTC*, *SERPINA7*, *SLC25A5* and *FMR1*) on porcine chromosome X, 106
Čepica, S. *see* Zambonelli, P
Chantal, I *see* Maillard, J-C
Chardon, P *see* Rattink, A P
Cheng, H H *see* Knorr, C
see also Liu, H-C
see also Suchyta, S P
Christison, K M, Schmutz, S M, Berryere, T G & Buchanan, F C. Linkage mapping of *MMP1* to cattle chromosome 15, 316

© 2001 International Society for Animal Genetics

Christison, K M *see* Schmutz, S M
Chung, H Y, Davis, M E & Hines, H C. Genetic variants detected by PCR-RFLP in intron 6 of the bovine calpastatin gene. 53
Cicogna, M *see* Ajmone-Marsan, P
Clendenning, M & Bumstead, N. *COM184*: a polymorphic microsatellite marker for *CKB* on chicken chromosome 5. 119
Cnaani, A *see* Palti, Y
Cockett, N E *see* Bidwell, C A
Coleman, R L *see* Rexroad Iii, C E
Comincini, S *see* Hills, D
Cooper, D W *see* Zenger, K R
Coopman, F *see* Haegeman, A
Cosenza, G *see* Ramunno, L
see also Ramunno, L
Cothran, E G *see* Terry, R R
Crawford, A *see* Casas, E
see also Casas, E
Crepaldi, P *see* Ajmone-Marsan, P
Crooijmans, R P M A *see* Carré, W
Cunningham, E P, Dooley, J J, Splan, R K & Bradley, D G. Microsatellite diversity, pedigree relatedness and the contributions of founder lineages to thoroughbred horses. 360

D'Andrea, M *see* Lagonigro, R
Davis, M E *see* Chung, H Y
Davis, S K *see* Mcshane, R D
see also Ward, T J
Davis, S *see* Sonstegard, T S
see also Wambugu, J
Davoli, R *see* Fontanesi, L
see also Fontanesi, L
see also Zambonelli, P
Debenham, S, Ricketts, P, Holmes, N G, Thomas, R, Breen, M & Binns, M. Physical and linkage mapping of the canine phosphate carrier (*SLC25A3*) and apoptotic activating factor 1 (*APAF1*) genes to canine chromosome 15. 50
Derr, J N *see* Ward, T J
Di Gregorio, P *see* Ramunno, L
see also Ramunno, L
Díaz, S, Giovambattista, G, Dulout, F N & Peral-García, P. Genetic variation of the second exon of *ELA-DRB* genes in Argentine Creole horses. 257
Dinter, A *see* Meijerink, E
Diot, C *see* Carré, W
Dodgson, J B *see* Knorr, C
see also Suchyta, S P
Dolf, G *see* Hills, D
see also Schmutz, S M
Dooley, J J *see* Cunningham, E P
Douaire, M *see* Carré, W
Douglass, C L *see* Shubitowski, D M
Dovc, P *see* Achmann, R
Drinkwater, R D *see* Ariza, F
Droegemuller, C *see* Sonstegard, T S
Dulout, F N *see* Díaz, S
Dunn, I C *see* Ge, S F
Dunner, S *see* Schmutz, S M

Edwards, Y H *see* Haworth, K
Ellegren, H *see* Lindgren, G
Erhardt, G *see* Caroli, A
Ewald, S J *see* Livant, E J
see also Shubitowski, D M

Fahrenkrug, S C *see* Campbell, E M G
see also Smith, T P L
Faivre, M *see* Rattink, A P
Feldmesser, E *see* Palti, Y
Ferretti, L *see* Hills, D
Fillon, V *see* Carré, W
Fitzsimmons, C J *see* Shi, X-W
Fontanesi, L, Davoli, R, Milc, J & Russo, V. The porcine sarcolipin (*SLN*) gene: identification of an SNP and linkage mapping to chromosome 9. 109
Fontanesi, L, Davoli, R, Yerle, M, Zijlstra, C, Bosma, A A & Russo, V. Regional localization of the porcine cathepsin H (*CTSH*) and cathepsin L (*CTSL*) genes. 321
Fox, R R *see* Korstanje, R
Francino, O *see* Kennedy, L J
Fries, R *see* Habermann, F A
Fulgheri, F *see* Baratti, M

Gallagher Jr, D S *see* Mcshane, R D
Gallagher, D S *see* Ward, T J
Gallo, D *see* Ramunno, L
Gardner, J P A *see* Apte, S
Garrett, W M *see* Ashwell, M S
Ge, S F, Romanov, M N, Sharp, P J, Burt, D W, Paton, I R & Dunn, I C. Mapping of the luteinizing hormone/choriogonadotropin recepetor gene (*LHCGR*) to chicken chromosome 3. 50
Geldermann, H *see* Stratil, A
see also Stratil, A
Genêt, C *see* Shi, X-W
Georges, M *see* Bidwell, C A
Gerlach, J A *see* Kennedy, L J
Gibson, J P *see* Ledwidge, S A
Gillissen, G F *see* Korstanje, R
Giovambattista, G *see* Díaz, S
Giovambattista, G, Ripoli, M V, Peral-Garcia, P & Bouzat, J L. Indigenous domestic breeds as reservoirs of genetic diversity: the Argentinean Creole cattle. 240
Gorni, C *see* Ajmone-Marsan, P
Green, J A *see* Shi, X-W
Gregg, R E, Rhodes Jr, O E & Armstrong, G. A genetic analysis of the London strain of rainbow trout. 210
Groenen, M A M *see* Carré, W
see also Rattink, A P
Groenen, M *see* Baratti, M
Grosz, M D *see* Casas, E
Guérin, G *see* Hirota, K
see also Lindgren, G

Habermann, F A, Biet, C & Fries, R. Physical mapping of the genes encoding tryptophan hydroxylase and insulin to chicken chromosome 5. 319
Haegeman, A, Coopman, F, Jacobs, K, Mattheeuws, M, Van Zeveren, A & Peelman, L. Bovine melanocortin receptor 4: cDNA sequence, polymorphisms and mapping. 189
Hanada, H *see* Inoue-Murayama, M
Hanotte, O *see* Wambugu, J
Happ, G M *see* Kennedy, L J
Hardge, T *see* Wimmers, K
Harlizius, B *see* Rattink, A P
Harrison, B *see* Ariza, F
Harumi, T, Maruyama, K, Kagami, H, Sano, A, Matsubara, Y, Tagami, T & Naito, M. Cloning of porcine IGF1 receptor cDNA and detection of sequence polymorphisms using RT-PCR. 386
Hasegawa, T *see* Hirota, K
Haworth, K, Breen, M, Binns, M, Hopkinson, D A & Edwards, Y H. The canine homeobox gene *MSX2*: sequence, chromosome assignment and genetic analysis in dogs of different breeds. 32
Hayashi, T *see* Nishibori, M
Hershberger, W K *see* Rexroad Iii, C E
Hills, D, Comincini, S, Schlaepfer, J, Dolf, G, Ferretti, L & Williams, J L. Complete genomic sequence of the bovine prion gene (PRNP) and polymorphism in its promoter region. 231
Hines, H C *see* Chung, H Y
Hirono, I *see* Katagiri, T
Hirota, K, Piumi, F, Sato, F, Ishida, N, Guérin, G, Miura, N & Hasegawa, T. FISH assignment of two equine BAC clones containing *SRY* and *ZFY*. 326
Hirota, K, Tozaki, T, Mashima, S & Miura, N. Cytogenetic assignment and genetic characterization of the horse microsatellites. *TKY4-18*, *TKY20*, *TKY22-24*, *TKY30-41* derived from a cosmid library. 160
Holmes, N G *see* Debenham, S
Holmgren, C *see* Sidjanin, D J
Hopkinson, D A *see* Haworth, K
Huber, T *see* Achmann, R
Hulata, G *see* Palti, Y

Ide, H *see* Inoue-Murayama, M
Inoko, H *see* Ando, A
Inoue-Murayama, M, Kayang, B B, Kimura, K, Ide, H, Nomura, A, Takahashi, H, Nagamine, Y, Takeda, T, Hanada, H, Tatsuda, K, Tsudzuki, M, Matsuda, Y, Mizutani, M, Murayama, Y & Ito, S. Chicken microsatellite primers are not efficient markers for Japanese quail. 7
Iraqi, F *see* Wambugu, J
Ishida, N *see* Hirota, K

Ishiguro, N *see* Okumura, N
Ito, S *see* Inoue-Murayama, M

Jacobs, K *see* Haegeman, A
Jaesert, S *see* Maak, S
Jäger, S *see* Caroli, A
Jann, O *see* Caroli, A
Jansen, G B *see* Ledwidge, S A
Jiang, Z H *see* Ledwidge, S A
Joerg, H *see* Von Teichman, A
Johnson, J L *see* Sidjanin, D J
Johnson, L W *see* Livant, E J
Johnson, S E *see* Moore, S S
Ju, Z *see* Cao, D
Jungerius, B J *see* Rattink, A P

Kagami, H *see* Harumi, T
Kakoi, H *see* Mashima, S
Kalm, E *see* Casas, E
see also Casas, E
see also Sonstegard, T S
Kanguha, E *see* Wambugu, J
Kappes, S M *see* Ambady, S
see also Casas, E
see also Sonstegard, T S
Karsi, A *see* Cao, D
Kata, S R *see* Wang, Y H
Kata, S *see* Moore, S S
Katagiri, T, Asakawa, S, Minagawa, S, Shimizu, N, Hirono, I & Aoki, T. Construction and characterization of BAC libraries for three fish species: rainbow trout, carp and tilapia. 200
Kawata, H *see* Ando, A
Kayang, B B *see* Inoue-Murayama, M
Keele, J W *see* Smith, T P L
Kennedy, L J, Angles, J M, Barnes, A, Carter, S D, Francino, O, Gerlach, J A, Happ, G M, Ollier, W E R, Thomson, W & Wagner, J L. Nomenclature for factors of the dog major histocompatibility system (DLA), 2000: second report of the ISAG DLA Nomenclature Committee. 193
Kennes, Y M, Murphy, B D, Pothier, F & Palin, M-F. Characterization of swine *leptin* (*LEP*) polymorphisms and their association with production traits. 215
Killefer, J *see* Rexroad III, C E
Kim, K S & Rothschild, M F. Mapping of the porcine agouti-related protein (*AGRP*) gene to chromosome 6. 325
Kimura, K *see* Inoue-Murayama, M
Kister, A *see* Casas, E
see also Casas, E
Knoll, A *see* Čepica, S
Knorr, C, Cheng, H H & Dodgson, J B. DNA cloning and sequence analysis of chicken AFLP. 156
Kobayashi, E *see* Okumura, N
see also Shimanuki, S
Kocabas, A *see* Cao, D
Kolenda, C E *see* Ward, T J
Konfortov, B A *see* Muramatsu, Y
Korstanje, R, Gillissen, G F, den Bieman, M G, Versteeg, S A, van Oost, B, Fox, R R, van Lith, H A & van Zutphen, L F M. Mapping of rabbit chromosome 1 markers generated from a microsatellite-enriched chromosome-specific library. 308
Kubíčková, S *see* Čepica, S
see also Stratil, A
see also Zambonelli, P
Kühn, C *see* Sonstegard, T S
Kurosawa, Y *see* Okumura, N

Lagarrigue, S *see* Carré, W
Lagonigro, R, Pietrola, E, D'Andrea, M, Veltri, C & Pilla, F. Molecular genetic characterization of the goat αS2-casein *E* allele. 392
Ledwidge, S A, Mallard, B A, Gibson, J P, Jansen, G B & Jiang, Z H. Multi-primer target PCR for rapid identification of bovine *DRB3* alleles. 219
Lee, J H, Zhang, W & Moran, C. Comparative porcine gene mapping relative to human chromosomes 9, 10, 20 and 22. 313
Lehnert, S A *see* Wang, Y H
Lejukole, H Y *see* Muramatsu, Y
see also Taniguchi, Y
von Lengerken, G *see* Maak, S
Lewin, H A *see* Ambady, S
see also Casas, E
see also Sonstegard, T S
Li, P *see* Cao, D
Li, Y *see* Casas, E
see also Sonstegard, T S
Lien, S *see* Casas, E
see also Casas, E
see also Sonstegard, T S
Lindgren, G, Swinburne, J E, Breen, M, Mariat, D, Sandberg, K, Guérin, G, Ellegren, H & Binns, M M. Physical anchorage and orientation of equine linkage groups by FISH mapping BAC clones containing microsatellite markers. 37
Lingaas, F *see* Schmutz, S M
van Lith, H A *see* Korstanje, R
Liu, H-C, Cheng, H H, Tirunagaru, V, Sofer, L & Burnside, J. A strategy to identify positional candidate genes conferring Marek's disease resistance by integrating DNA microarrays and genetic mapping. 351
Liu, Z *see* Cao, D
Livant, E J, Zheng, D, Johnson, L W, Shi, W & Ewald, S J. Three new MHC haplotypes in broiler breeder chickens. 123
Locke, M M, Ruth, L S, Millon, L V, Penedo, M C T, Murray, J D & Bowling, A T. The cream dilution gene, responsible for the palomino and buckskin coat colors, maps to horse chromosome 21. 340
Longobardi, E *see* Ramunno, L
see also Ramunno, L

Ma, R Z *see* Ambady, S
Maak, S, Jaesert, S, Neumann, K, Yerle, M & von Lengerken, G. Isolation of expressed sequence tags of skeletal muscle of neonatal healthy and splay leg piglets and mapping by somatic cell hybrid analysis. 303
Maddox, J F. Mapping the matrix metalloproteinase 9 (*MMP9*) gene and the *BL1071* microsatellite to ovine chromosome 13 (OAR13). 329
Maillard, J-C, Chantal, I & Berthier, D. Sequencing of four new *BoLA-DRB3* and six new *BoLA-DQB* alleles. 44
Málek, O *see* Čepica, S
Mallard, B A *see* Ledwidge, S A
Mariani, P *see* Ramunno, L
Mariat, D *see* Lindgren, G
Martin, A M *see* Rexroad III, C E
Maruyama, K *see* Harumi, T
Mashima, S *see* Hirota, K
Mashima, S, Tozaki, T, Swinburne, J, Kakoi, H, Binns, M & Miura, N. Characterization of equine microsatellite loci, *TKY102-TKY112*. 117
Masina, P *see* Ramunno, L
Masopust, M *see* Čepica, S
Matsubara, Y *see* Harumi, T
Matsuda, Y *see* Inoue-Murayama, M
Mattheeuws, M *see* Haegeman, A
Mcelwee, J *see* Sidjanin, D J
McShane, R D, Gallagher Jr, D S, Newkirk, H, Taylor, J F, Burzlaff, J D, Davis, S K & Skow, L C. Physical localization and order of genes in the class I region of the bovine MHC. 235
Mcwilliam, S M *see* Wang, Y H
Meier, B C *see* Smith, T P L
Meijerink, E, Neuenschwander, S, Dinter, A, Yerle, M, Stranzinger, G & Vögeli, P. Isolation of a porcine UDP-GalNAc transferase cDNA mapping to the region of the blood group *EAA* locus on pig chromosome 1. 132
Mekchay, S *see* Wimmers, K
Mellersh, C *see* Sidjanin, D J
Milanesi, E *see* Ajmone-Marsan, P
Milc, J *see* Fontanesi, L
see also Zambonelli, P
Miller, S J *see* Buchholz, W G
Millon, L V *see* Locke, M M
Minoshima, Y, Taniguchi, Y, Tanaka, K, Yamada, T & Sasaki, Y. Molecular cloning, expression analysis, promoter characterization, and chromosomal localization of the bovine *PREF1* gene. 333
Mitsuhashi, T *see* Ando, A
see also Okumura, N
Miura, N *see* Hirota, K
see also Hirota, K
see also Mashima, S
Mizutani, M *see* Inoue-Murayama, M

Moker, J S *see* Schmutz, S M
see also Schmutz, S M
Moore, S S *see* Wang, Y H
Moore, S S, Byrne, K, Johnson, S E, Kata, S & Womack, J E. Physical mapping of *CSF- 2RA*, *ANT3* and *STS* on the pseudoautosomal region of bovine chromosome X, 102
Moran, C *see* Lee, J H
Morris, C A *see* Casas, E
see also Casas, E
Morrisson, M *see* Carré, W
Müller, M *see* Achmann, R
Murakami, T *see* Ando, A
Muramatsu, Y, Taniguchi, Y, Lejukole, H Y, Yamada, T, Konfortov, B A, Yasue, H & Sasaki, Y. Chromosomal assignments of expressed sequence tags for collagen binding protein 2 (*CBP2*) and α-1 antitrypsin (*PI*) in the bovine, 327
Murayama, Y *see* Inoue-Murayama, M
Murphy, B D *see* Kennes, Y
Murray, J D *see* Locke, M M
Musilová, P *see* Čepica, S
see also Stratil, A

Nagamine, Y *see* Inoue-Murayama, M
Naito, M *see* Harumi, T
Nakanishi, Y *see* Ando, A
Nall, C A *see* Ward, T J
Negrini, R *see* Ajmone-Marsan, P
Neuenschwander, S *see* Meijerink, E
Neumann, K *see* Maak, S
Newkirk, H *see* Mcshane, R D
Nielsen, M K *see* Rocha, J L
Nielsen, V H *see* Sonstegard, T S
Nishibori, M, Hayashi, T, Tsudzuki, M, Yamamoto, Y & Yasue, H. Complete sequence of the Japanese quail (*Coturnix japonica*) mitochondrial genome and its genetic relationship with related species, 380
Nomura, A *see* Inoue-Murayama, M

Okumura, N, Kurosawa, Y, Kobayashi, E, Watanobe, T, Ishiguro, N, Yasue, H & Mitsuhashi, T. Genetic relationship amongst the major non-coding regions of mitochondrial DNAs in wild boars and several breeds of domesticated pigs, 139
Ollier, W E R *see* Kennedy, L J
Olsaker, I *see* Casas, E
see also Casas, E
see also Sonstegard, T S
van Oost, B *see* Korstanje, R
Ostrander, E *see* Sidjanin, D J

Palin, M-F *see* Kennes, Y
Palti, Y, Shirak, A, Cnaani, A, Feldmesser, E, Avtalion, R R, Hulata, G & Ron, M. A microsatellite locus has more than one copy in the genome of two tilapia species (*Oreochromis aureus* and *O. niloticus*), 40
Pappalardo, M *see* Ramunno, L
see also Ramunno, L
Park, C *see* Ambady, S
Pastore, N *see* Ramunno, L
see also Ramunno, L
Paton, I R *see* Ge, S F
Patterson, A *see* Cao, D
Peelman, L J *see* Haegeman, A
see also Stratil, A
Penedo, M C T *see* Locke, M M
Peral-García, P *see* Díaz, S
see also Giovambattista, G
Pietrola, E *see* Lagonigro, R
Pilla, F *see* Lagonigro, R
Pitchford, W S *see* Casas, E
see also Casas, E
Piumi, F *see* Hirota, K
Plante, Y *see* Schmidtz, B H
Pomp, D *see* Rocha, J L
Ponce De León, F A *see* Ambady, S
Ponsuksili, S *see* Wimmers, K
Pothier, F *see* Kennes, Y
Prather, R *see* Shi, X-W

Ramunno, L, Cosenza, G, Pappalardo, M, Longobardi, E, Gallo, D, Pastore, N, Di Gregorio, P & Rando, A. Characterization of two new alleles at the goat *CSN1S2* locus, 264
Ramunno, L, Longobardi, E, Pappalardo, M, Rando, A, Di Gregorio, P, Cosenza, G, Mariani, P, Pastore, N & Masina, P. An allele associated with a non-detectable amount of αs_2 casein in goat milk, 19
Rando, A *see* Ramunno, L
see also Ramunno, L
Rattink, A P, Jungerius, B J, Faivre, M, Chardon, P, Harlizius, B & Groenen, M A M. Improving the comparative map of SSC2p-q13 by sample sequencing of BAC clones, 274
Reiner, G *see* Stratil, A
see also Stratil, A
Rexroad III, C E *see* Smith, T P L
Rexroad III, C E, Coleman, R L, Martin, A M, Hershberger, W K & Killefer, J. Thirty-five polymorphic microsatellite markers for rainbow trout (*Oncorhynchus mykiss*), 317
Rhodes Jr, O E *see* Gregg, R E
Rhodes, S J *see* Smith, T P L
Ricketts, P *see* Debenham, S
Ripoli, M V *see* Giovambattista, G
Rocha, J L, Pomp, D, Van Vleck, L D & Nielsen, M K. Predictors of marker-informativeness for an outbred F_2 design, 365
Roed, K H *see* Bjornstad, G
Rohrer, G A *see* Čepica, S
see also Campbell, E M G
see also Smith, T P L
see also Wang, Z
Romanov, M N *see* Ge, S F
Ron, M *see* Palti, Y
Rothschild, M F *see* Kim, K S
see also Woollard, J R
Rubeš, J *see* Čepica, S
see also Stratil, A
see also Zambonelli, P
Russell, G C *see* Sawhney, S M S
Russo, V *see* Fontanesi, L
see also Fontanesi, L
see also Zambonelli, P
Ruth, L S *see* Locke, M M

Sada, M *see* Ando, A
Sampson, J *see* Schmutz, S M
Sandberg, K *see* Lindgren, G
Sano, A *see* Harumi, T
Sasaki, Y *see* Minoshima, Y
see also Muramatsu, Y
see also Taniguchi, Y
Sato, F *see* Hirota, K
Sawhney, S M S, Taylor, D W & Russell, G C. Polymorphism of bovine major histocompatability complex (MHC) class I genes revealed by polymerase chain reaction (PCR) and restriction enzyme analysis, 27
Schellander, K *see* Wimmers, K
Schimpf, R J, Schmutz, S M & Buchanan, F C. Genetic mapping of the *ADRB2* gene on cattle chromosome 7, 390
Schlaepfer, J *see* Hills, D
Schmidtz, B H, Buchanan, F C, Plante, Y & Schmutz, S M. Linkage mapping of the tyrosinase gene to bovine chromosome 29, 119
Schmutz, S M *see* Casas, E
see also Casas, E
see also Christison, K M
see also Schimpf, R J
see also Schmidtz, B H
see also Thue, T D
Schmutz, S M, Moker, J S, Yuzbasiyan-Gurkan, V, Zemke, D, Sampson, J, Lingaas, F, Dunner, S & Dolf, G. DCT and EDNRB map to DogMap linkage group 107, 321
Schmutz, S *see* Sonstegard, T S
see also Sonstegard, T S
Schmutz, S M, Moker, J S, Berryere, T G, Christison, K M & Dolf, G. An SNP is used to map *MC1R* to dog chromosome 5, 43
Schnabel, R D *see* Ward, T J
Schwerin, M *see* Sonstegard, T S
see also Wambugu, J
Sekikawa, K *see* Ando, A
Sharp, P J *see* Ge, S F
Shay, T L *see* Bidwell, C A
Shi, L, Smith, G E & Smith, E J. Linkage assignment of two novel expressed sequence tagged sites in the chicken, 49

Shi, W *see* Livant, E J
Shi, X-W, Fitzsimmons, C J, Genêt, C, Prather, R, Whitworth, K, Green, J A & Tuggle, C K. Radiation hybrid comparative mapping between human chromosome 17 and porcine chromosome 12 demonstrates conservation of gene order, 205
Shigenari, A *see* Ando, A
Shiina, T *see* Ando, A
Shimanuki, S, Kobayashi, E & Awata, T. A single nucleotide polymorphism in the porcine androgen receptor gene, 165
Shimizu, M *see* Taniguchi, Y
Shimizu, N *see* Katagiri, T
Shirak, A *see* Palti, Y
Showalter, A D *see* Smith, T P L
Shubitowski, D M, Venta, P J, Douglass, C L, Zhou, R-X & Ewart, S L. Polymorphism identification within 50 equine gene-specific sequence tagged sites, 78
Sidjanin, D J, Xue, F, McElwee, J, Johnson, J L, Holmgren, C, Mellersh, C, Ostrander, E, Acland, G & Aguirre, G D. Cloning of canine γ-tubulin (*TUBG1*) cDNA and mapping to CFA9, 328
Simmen, F A *see* Smith, T P L
Skow, L C *see* Mcshane, R D
see also Ward, T J
Skow, L *see* Wambugu, J
Sloop, K W *see* Smith, T P L
Smith, E J *see* Shi, L
Smith, G E *see* Shi, L
Smith, T P L *see* Ambady, S
see also Campbell, E M G
Smith, T P L, Fahrenkrug, S C, Rohrer, G A, Simmen, F A, Rexroad III, C E & Keele, J W. Mapping of expressed sequence tags from a porcine early embryonic cDNA library, 66
Smith, T P L, Showalter, A D, Sloop, K W, Rohrer, G A, Fahrenkrug, S C, Meier, B C & Rhodes, S J. Identification of porcine *Lhx3* and *SF1* as candidate genes for QTL affecting growth and reproduction traits in swine, 344
Sofer, L *see* Liu, H-C
Sonstegard, T S *see* Casas, E
Sonstegard, T S, Barendse, W, Bennett, G L, Brockmann, G A, Davis, S, Droegemuller, C, Kalm, E, Kappes, S M, Kühn, C, Li, Y, Schwerin, M, Taylor, J, Thomsen, H, Van Tassell, C P & Yeh, C C. Consensus and comprehensive linkage maps of the bovine sex chromosomes, 115
Sonstegard, T S, Bendixen, C, Bennett, G L, Kalm, E, Kappes, S M, Lewin, H A, Lien, S, Nielsen, V H, Olsaker, I, Schmutz, S, Thomsen, H, Van Tassell, C P & Xu, N. Consensus and comprehensive linkage maps of bovine chromosome 17, 112
Sonstegard, T S, Bennett, G L, Kalm, E, Kappes, S M, Lewin, H A, Olsaker, I, Schmutz, S, Thomsen, H, Vage, D I, Van Tassell, C P & Xu, N. Consensus and comprehensive linkage maps of bovine chromosome 25, 114
Spearman, W J *see* Buchholz, W G
Splan, R K *see* Cunningham, E P
Stone, R T *see* Wang, Z
Stranzinger, G *see* Meijerink, E
see also Von Teichman, A
Stratil, A, Kubíčková, S, Peelman, L J, Reiner, G, Musilová, P, Van Poucke, M, Rubeš, J & Geldermann, H. FISH, RH and linkage assignment of the porcine *ABCD3 (PXMP1)* gene to the distal end of chromosome 4q, 323
Stratil, A, Reiner, G, Peelman, L J, Van Poucke, M & Geldermann, H. Linkage and radiation hybrid mapping of the porcine gene for subunit C of succinate dehydrogenase complex (*SDHC*) to chromosome 4, 110
Suchyta, S P, Cheng, H H, Burnside, J & Dodgson, J B. Comparative mapping of chicken anchor loci orthologous to genes on human chromosomes 1, 4 and 9, 12
Swinburne, J *see* Mashima, S
Swinburne, J E *see* Lindgren, G

Tagami, T *see* Harumi, T
Takahashi, H *see* Inoue-Murayama, M
Takahashi, S *see* Taniguchi, Y
Takeda, T *see* Inoue-Murayama, M
Tanaka, K *see* Minoshima, Y
Taniguchi, Y *see* Minoshima, Y
see also Muramatsu, Y
Taniguchi, Y, Lejukole, H Y, Yamada, T, Akagi, S, Takahashi, S, Shimizu, M, Yasue, H & Sasaki, Y. Analysis of expressed sequence tags from a cDNA library of somatic nuclear transfer-derived cloned bovine whole foetus, 1
Tatsuda, K *see* Inoue-Murayama, M
Taylor, D W *see* Sawhney, S M S
Taylor, J F *see* Mcshane, R D
see also Ward, T J
Taylor, J *see* Sonstegard, T S
see also Wambugu, J
Teale, A *see* Wambugu, J
von Teichman, A, Joerg, H, Werner, P, Brenig, B & Stranzinger, G. cDNA cloning and physical mapping of porcine 3β-hydroxysteroid dehydrogenase/Δ5-Δ4 isomerase, 298
Terry, R R, Bailey, E, Bernoco, D & Cothran, E G. Linked markers exclude *KIT* as the gene responsible for appaloosa coat colour spotting patterns in horses, 98
Thomas, R, Breen, M & Binns, M M. Chromosome assignment of six dog genes by FISH, and correlation with dog–human Zoo-FISH data, 148
Thomas, R *see* Debenham, S
Thomsen, H *see* Casas, E
see also Casas, E
see also Sonstegard, T S
Thomson, W *see* Kennedy, L J
Thue, T D, Schmutz, S M & Buchanan, F C. A SNP in the cattle *MC4R* gene is used to map *MC4R* to BTA 24, 391
Tirunagaru, V *see* Liu, H-C
Toriu, A *see* Ando, A
Tozaki, T *see* Hirota, K
see also Mashima, S
Troyer, D *see* Wang, Z
Tsudzuki, M *see* Nishibori, M
see also Inoue-Murayama, M
Tsuji, T *see* Ando, A
Tuggle, C K *see* Shi, X-W

Vage, D I *see* Sonstegard, T S
Valentini, A *see* Ajmone-Marsan, P
Vallet, J L *see* Campbell, E M G
Van Poucke, M *see* Stratil, A
see also Stratil, A
Van Tassell, C P *see* Sonstegard, T S
see also Sonstegard, T S
Van Vleck, L D *see* Rocha, J L
Van Zeveren, A *see* Haegeman, A
Veenendaal, T *see* Baratti, M
Veltri, C *see* Lagonigro, R
Venta, P J *see* Shubitowski, D M
Versteeg, S A *see* Korstanje, R
Vignal, A *see* Carré, W
Vögeli, P *see* Meijerink, E

Wagner, J L *see* Kennedy, L J
Wallner, B *see* Achmann, R
Wambugu, J, Kanguha, E, Hanotte, O, Davis, S, Taylor, J, Skow, L, Brunner, R, Schwerin, M, Teale, A & Iraqi, F. Identification of two polymorphic microsatellite repeats on a bovine *TNFA*-containing BAC clone, 105
Wang, Y H, McWilliam, S M, Barendse, W, Kata, S R, Womack, J E, Moore, S S & Lehnert, S A. Mapping of 12 bovine ribosomal protein genes using a bovine radiation hybrid panel, 269
Wang, Z, Rohrer, G A, Stone, R T & Troyer, D. Five new porcine genetic markers from a microsatellite enriched microdissected chromosome 13 library, 41
Ward, T J, Skow, L C, Gallagher, D S, Schnabel, R D, Nall, C A, Kolenda, C E, Davis, S K, Taylor, J F & Derr, J N. Differential introgression of uniparentally inherited markers in bison populations with hybrid ancestries, 89
Watanobe, T *see* Okumura, N
Werner, P *see* Von Teichman, A
Whitworth, K *see* Shi, X-W
Williams, J L *see* Hills, D
Wimmers, K, Mekchay, S, Ponsuksili, S, Hardge, T, Yerle, M & Schellander, K.

Polymorphic sites in exon 15 and 30 of the porcine *C3* gene. 46
Womack, J E *see* Moore, S S
see also Wang, Y H
Woollard, J R & Rothschild, M F. Assignment of the porcine calpain-10 gene (*CAPN10*) to chromosome 15q23-26. 393

Xu, N *see* Casas, E
see also Casas, E
see also Sonstegard, T S
Xue, F *see* Sidjanin, D J

Yamada, T *see* Minoshima, Y
see also Muramatsu, Y
see also Taniguchi, Y
Yamamoto, Y *see* Nishibori, M
Yasue, H *see* Muramatsu, Y
see also Nishibori, M
see also Okumura, N
see also Taniguchi, Y
Yeh, C C *see* Sonstegard, T S
Yerle, M *see* Fontanesi, L
see also Maak, S
see also Meijerink, E
see also Wimmers, K
Yuzbasiyan-Gurkan, V *see* Schmutz, S M

Zambonelli, P, Milc, J, Davoli, R, Russo, V, Kubíčková, S, Rubeš, J & Čepica, S. The porcine ATPase, Ca^{++} transporting, plasma membrane 1 (*ATP2B1*) gene maps to chromosome band 5q23. 43
Zemke, D *see* Schmutz, S M
Zenger, K R & Cooper, D W. Characterization of 14 macropod microsatellite genetic markers. 166
Zhang, W *see* Lee, J H
Zheng, D *see* Livant, E J
Zhou, R-X *see* Shubitowski, D M
Zijlstra, C *see* Fontanesi, L
van Zutphen, L F M *see* Korstanje, R

Keyword index

3β-hydroxysteroid dehydrogenase/isomerase 298
adipose 333
AFLP 156
allozymes 210
amplified fragment length polymorphism 281
androstenone 298
antigen presentation 73
arbitrarily primed RT-PCR 289
Argentine Creole horses 257
αs2 casein 264
avian 222

BAC library 37
backfat thickness 274
bacterial artificial chromosome (BAC) 200
bison 89
boar taint 298
BoLA 235
BoLA-DRB3 219
bootstrap 281
Bos taurus 240
bovine 92, 95, 102, 235
bovine chromosome 11 152
bovine foetus 1
bovine lymphocyte antigen 219
bovine lymphocyte antigen (BoLA)-A typing 27
bovine radiation hybrid panel 269
breeds 281
broiler 123
BTA 11 92
BTA 27 95
buckskin 340

callipyge 248
candidate genes 351
canine chromosome 4q 32
Capra hircus 19, 264, 281
carp *Cyprinus carpio* 200
cattle 27, 89, 102
cDNA 169, 189
cDNAs 289
chicken 7, 12, 123, 156, 351
chicken liver 289
chromosome 1 308
chromosome microdissection 152
chromosomes 37
Class I 123
Class II 123
cloned cattle 1
coat colour 98, 340
common pheasant 222
comparative anchor tagged sequences 313
comparative gene mapping 102
comparative genetic map 7
comparative map 12, 205, 274
comparative maps 371
comparative mapping 148, 313
comprehensive map 92, 95
consensus map 92, 95
craniofacial 32
craniosynostosis 32
cream 340
Creole cattle 241
cross-species amplification 222
crystallin β A4 371

dilution 340
DLA 193
DM α chain 73
DNA 78
DNA microarray 351
dog 193
dog gene 148
dog *MSX2* 32
domestic pig breeds 139

EAA locus 123
ELA-DRB 257
equine 78, 98
evolution 12
exon 269
expressed sequence tag 1, 66
expressed sequence tag (EST) 169
expressed sequence tags 289, 303

FISH 148
FISH mapping 37
fluorescence *in situ* hybridization 333
founder 360
functional genomics 169

gene expression 169, 333
gene mapping 235
genetic 210
genetic distance 281
genetic diversity 240, 281
genetic map 308
genetic marker 365
genetic polymorphism 226
genetic resistance 351
genetic variation 360
genetics 193
genetic structure 59
genome mapping 12
genome scan 98
goat 226
growth 344
GTL 2 248

horse 37, 78, 360
horse breed 59
horse genetics 340
HSA 17 205
human 12

IEF 226
inbreeding 360
insulin-like growth factor 1 386
introgression 89
intron 269

Japanese quail 7, 380

κ-casein

LEP gene 215
leptin 215
linkage 98
linkage disequilibrium 365
linkage groups 37
linkage map 92, 95, 152
linkage mapping 371
livestock diversity 240
London strain 210

major histocompatibility complex 123
major histocompatibility complex (MHC) genes 27
major non-coding region 139
mapping 66, 169, 303, 344, 351, 375
Marek's disease 351
marker 78, 169
mastitis 219
matrix metalloproteinase 371
maximum likelihood 380
melanocortin receptor 4 189
MHC 193, 235, 257
microarray 169
microsatellite 59, 78, 89, 340, 360, 375
microsatellite markers 7, 152, 308
microsatellites 37, 222
milk 264
miniature pig 73
mitochondrial DNA 139
mitochondrial genome 380
molecular cloning 333
MPT-PCR 219
MSX2 polymorphism 32
MSX2 transcription factor 32
muscle hypertrophy 248
mutation 189

nomenclature 193
'null' allele 19

Oncorhynchus mykiss 210
outbred cross 365

© 2001 International Society for Animal Genetics

palomino 340
parvalbumin 371
PCR 189, 264
PCR-RFLP 219, 257
PCR-SSP 123
pedigree 360
Phasianiidae 222
phylogenetic analysis 139
phylogenetic tree 380
physical mapping 37
pig 205, 215, 274, 303, 313
pituitary 344
polymorphism 73, 215, 257, 386
polymorphism information content 365
population assignment 59
porcine 375, 386
porcine blastocyst 66
porcine blood group 132
porcine chromosome 4 298
promoter analysis 333

QTL 344
quantitative trait locus (QTL) 274

rabbit 308
radiation hybrid map 274
radiation hybrid mapping 205
rainbow trout 210
rainbow trout *Oncorhynchus mykiss* 200
receptor 386
reciprocal chromosome painting 148
reproduction 344
RFLP 189
ribosomal protein genes 269

sample sequencing 274
SCCP 371
sequence 78
sheep 248
simple allele sharing 59
single nucleotide polymorphism 78
SLA 73
SNP 78
somatic cell hybrids 303
SSC 12 205
SSCP 189, 226
steroidogenesis 298
stop codon 19
STS 156

tilapia *Oreochromis niloticus* 200
tissue inhibitor of metalloproteinase 371
type 1 insulin-like growth factor receptor 386
type I marker 78

UDP-GalNAc transferase 132

Vectorette™-PCR 156

WHICHRUN 59
whole genome radiation hybrid mapping 102
wild boars 139

X chromosome 102

Y chromosome 89

Zoo-FISH 148